

# Ferrite Cores for EMI Suppression For IC and Connector

## MH Series(Multiple Holes)



### FEATURES

- The MH Series provides simple, effective EMC suppression at terminal pins. Terminal pins that can be inserted include those of DIP type ICs, DIP IC sockets, and grid square type connector receptacles.
- The comprehensive product lineup offers numerous sizes, hole configurations, and ferrite materials. The variety of impedance vs. frequency characteristics enables optimization of EMC suppression performance for a wide range of possible applications.

### APPLICATIONS

Suppression of digital signal ringing and prevention RFI from IC pins, suppression of interface cable EMC, preventing the entry of RFI into a device, and shaping the waveform of digital signals.

### SHAPES AND DIMENSIONS/CHARACTERISTICS



### MATERIAL CHARACTERISTICS

Material	Initial permeability $\mu_i$	Temperature factor of initial permeability $\alpha_{\text{air}}$ $\times 10^{-6}/^{\circ}\text{C}$	Curie temperature $T_c$ ( $^{\circ}\text{C}$ )	Saturation magnetic flux density $B_s$ (mT)
HF70	1500	1 to 6	>100	280[H=1600A/m]

### FOR IC

Part No.	Dimensions(mm)						Number of holes	Impedance Z( $\Omega$ ) at 23°C	
	A	B	C*	P1	P2	$\phi H$		10MHz typ.	100MHz typ.
HF70MH2.5X7.6X8	10.16	10.16	1	2.54	7.62	1.08	8	9	20
HF70MH2.5X7.6X14	17.78	10.16	1	2.54	7.62	1.08	14	9	20
HF70MH2.5X7.6X16	20.32	10.16	1	2.54	7.62	1.08	16	9	20
HF70MH2.5X7.6X16A	20.32	10.16	1.5	2.54	7.62	1.08	16	13	29
HF70MH2.5X7.6X20	25.4	10.16	1	2.54	7.62	1.08	20	9	20

\* Dimension C is alterable on request.


### FOR CONNECTOR

Part No.	Dimensions(mm)						Number of holes	Impedance Z( $\Omega$ ) at 23°C	
	A	B	C*	P1	P2	$\phi H$		10MHz typ.	100MHz typ.
HF70MH2.5X2.5X8	10.16	7	3	2.54	2.54	1.08	8	39	61
HF70MH2.5X2.5X16	20.32	7	3	2.54	2.54	1.08	16	39	61
HF70MH2.5X2.5X20	25.4	7	3	2.54	2.54	1.08	20	39	61


\* Dimension C is alterable on request.

**TYPICAL ELECTRICAL CHARACTERISTICS**  
**IMPEDANCE vs. FREQUENCY CHARACTERISTICS**

**HF70MH2.5X7.6X□□\***



**HF70MH2.5X2.5X□□**



\* Number of holes

